





TeleEye Cjenik - KK

Vrijedi od 15.11.2011.




High Definition (HD) Proizvodi Video Nadzora


MX Serija		HD Video Kamere	
		<p>Korištenjem novog HD SMAC-M video kodera, prvog multi-stream kodera HD videa u svijetu, TeleEye MX serija HD kamera daje 4 istovremena i neovisna slijeda videa te time dozvoljava istovremeno snimanje HD videa i brzi prijenos videa na LAN, ADSL ili mobilnoj mreži. Uz svestrani prateći software za PC snimanje i upravljanje videom kamera nudi sveobuhvatno rješenje video nadzora u HD kvaliteti. Osim toga korištenjem TeleEye GX video snimača koji je specijalno dizajniran za snimanje HD kamera omogućeno je realtime snimanje svih kamera u HD rezoluciji i brzini od 25 HD slika u sekundi po svakoj kameri (400 fps).</p>	
MODEL	DESCRIPTION	Cijena (Kn)	
		1 do 19	20 ili više
MX820-HD	HD 720p IP66, Vandal Resistant Dome Video Camera, 1/3.2" CMOS Sensor, f=3.6 or 6mm, 12V DC	3,290.00	2,960.00
MX833-HD	HD 720p IP66, Vandal Resistant Vari-Focal IR Dome Video Camera, 1/3.2" CMOS Sensor, f=2.7-9mm, Auto-Iris, IR Range: 15m, 12V DC & PoE	4,950.00	4,490.00
MX873-HD	HD 720p IP66, Vari-Focal IR Wall-Mount Video Camera, 1/3.2" CMOS Sensor, f=2.7-9mm, Auto-Iris, IR Range: 15m, 12V DC	4,490.00	3,990.00
MX710-HD	HD 720p Indoor Dome Video Camera, 1/3" Sony CMOS Sensor, f=3.6 or 6mm, 12V DC & Optional PoE function with PoE Board	3,450.00	3,090.00
MX721-HD	HD 720p IP66, Vandal Resistant IR Dome Video Camera, 1/3" Sony CMOS Sensor, f=3.6 or 6mm, 12V DC & Optional PoE function with PoE Board (includes one sureSIGHT Lite License)	3,990.00	3,590.00
MX751-HD	HD 720p IP66, Video Camera, 1/3" Sony CMOS Sensor, f=3.6 or 6mm, 12V DC & Optional PoE function with PoE Board	3,990.00	3,590.00
MX763-HD-S	HD Video Camera, 720p, 1/3" Sony CMOS, Day/Night, Colour: 0.2Lux; B/W: 0.01Lux, CS-Mount with f=2.8-8mm vari-focal auto iris HD lens, PoE, 12V DC, Independent HD Recording Stream	5,990.00	5,390.00
MX763-HD-T	HD Video Camera, 720p, 1/3" Sony CMOS, Day/Night, Colour: 0.2Lux; B/W: 0.01Lux, CS-Mount with f=5-50mm vari-focal auto iris HD lens, PoE, 12V DC, Independent HD Recording Stream	6,650.00	5,990.00
MODEL	DESCRIPTION	Cijena (Kn)	
PoE Board	PoE modul za MX710-HD, MX721-HD i MX751-HD	320.00	

MODEL	DESCRIPTION	Cijena (Kn)
GX Serija Standalone Real Time HD Video Serveri		
 GX Series	TeleEye GX serija predstavlja 4 -, 9 - i 16-kanalne video snimače/serve, koji su posebno dizajnirani za snimanje videa sa TeleEye MX HD kamera. GX podržava real-time HD snimanje do maksimalne brzine od 400fps na 720p, (1280x720) razlučivosti.	
GX624 	4-Video, 16-Alarm, Max. Recording Rate at 720p: 100fps, BS 8418 Compliant, HD Video Recording Server	12,450.00
GX629 	9-Video, 16-Alarm, Max. Recording Rate at 720p: 225fps, BS 8418 Compliant, HD Video Recording Server	17,950.00
GX6216 	16-Video, 16-Alarm, Max. Recording Rate at 720p: 400fps, BS 8418 Compliant, HD Video Recording Server	23,650.00
HD2000GB	2000GB SATA HDD	na upit
GX-BKT	19" Rack Mounting Bracket for GX	900.00

Dodatna oprema za HD proizvode video nadzora		
MODEL	DESCRIPTION	Cijena (Kn)
NS08	8-Port Gigabit Network Switch for sureREC HDR	890.00
NS24	24-Port Gigabit Network Switch for sureREC HDR	2,450.00
NS08SP	8-Port Gigabit VLAN PoE Network Switch	4,850.00
NS24S	24-Port Gigabit VLAN Network Switch	4,190.00
NS24SP	24-Port Gigabit VLAN PoE Network Switch	12,650.00
FOModule	Fibre Optics module for NS08SP, NS24S, NS24SP	1,350.00
IP03	Mid-Range LAN Extender (1 Pair)	3,200.00
IP04	Short-Range LAN Extender for PoE Network	950.00
IP05I	PoE Injector	590.00
IP05S	PoE Splitter	350.00
SP006-K	Network Surge Protector	570.00
SP006P-K	PoE Network Surge Protector	570.00



Proizvodi Video Nadzora Standardne Rezolucije (720 x 576)


MODEL	DESCRIPTION	Cijena (Kn)	
		1 do 19	10 i više
NX Series IP and Mobile Surveillance Applications			
	TeleEye NX serija je kompletan portfelj profesionalnih i praktičnih mreža kamera i video servera izgrađenih oko vlastite SMAC-M tehnologija kompresije. To donosi pravu kombinaciju visoke kvalitete, mobilnost, skalabilnost i isplativost.		
Single Channel Video Server			
 NX301	Network Video Server, 1-Video, 1-Alarm, Refreshing: 25 / 30fps, PoE (includes one sureSIGHT Lite Integrated Video Management Software License)	2,950.00	2,650.00
Network Camera			
MODEL	DESCRIPTION	Cijena (Kn)	
		do 4	5 ili više
 NX599	Network Speed Dome, Outdoor Wall Mount, Day / Night, 0.01 Lux, Zoom: Optical 36X; Digital 12X, 128 Presets, 24V AC (includes one sureSIGHT Lite Integrated Video Management Software License)	15,900.00	14,500.00

MODEL	DESCRIPTION	Cijena (Kn)	
		1 do 9	10 ili više*
CX Series Simple-to-use Video Recording Servers			
 CX Series	TeleEye CX Serija video servera predstavlja 4, 8 i 16 kanalne modele uređaja prikladne za male i srednje velike aplikacije video nadzora. Uz ugrađenu SMAC-M tehnologiju video kodiranja TeleEye CX predstavlja beskompromisno rješenje efikasnog video prijenosa i DVD kvalitete snimanja. Priključenjem bežičnog USB 3G modema TeleEye CX vrši prijenos videa mobilnim mrežama i sa lokacija na kojima ne postoji žičana infrastruktura		
CX784	4-Video, 4-Alarm, Max. Recording: 100 / 120fps, Video Recording Server	5,990.00	5,690.00
CX788	8-Video, 4-Alarm, Max. Recording: 100 / 120fps, Video Recording Server	8,590.00	8,190.00
CX7816	16-Video, 4-Alarm, Max. Recording: 100 / 120fps, Video Recording Server	9,190.00	8,790.00

* 10 kom ili više u kombinaciji različitih CX uređaja

MODEL	DESCRIPTION	Cijena (Kn)
HD500GB	500GB SATA HDD	na upit
HD1000GB	1000GB SATA HDD	na upit
HD2000GB	2000GB SATA HDD	na upit



MODEL	DESCRIPTION	Cijena (Kn)
RX Series Standalone & Remote Operations		
 RX360 Series	TeleEye RX serija uređaja čine profesionalni 4, 8 i 16 kanalni video serveri/snimači visokih performansi namijenjeni za samostalan i daljinski rad. Primjenom vlastite SMAC-M revolucionarne metode kompresije videa, TeleEye serija predstavlja beskompromisno rješenje i po pitanju efikasnog prijenosa i po pitanju izvrsne kvalitete video zapisa. Priključenjem bežičnog USB 3G modema TeleEye vrši prijenos videa mobilnim mrežama i sa lokacija na kojima ne postoji žičana infrastruktura	 RX320 Series
RX364_V3	4-Video, 16-Alarm, Max. Recording: 100 / 120fps, DVD-RW, Removable HDD, BS 8418 Compliant, Video Recording Server (includes one WX-30 Receiving Software License)	8,750.00
RX368_V3	8-Video, 16-Alarm, Max. Recording: 200 / 240fps, DVD-RW, Removable HDD, BS 8418 Compliant, Video Recording Server (includes one WX-30 Receiving Software License)	13,250.00
RX3616_V3	16-Video, 16-Alarm, Max. Recording: 400 / 480fps, DVD-RW, Removable HDD, BS 8418 Compliant, Video Recording Server (includes one WX-30 Receiving Software License)	15,950.00
RX324_V3	4-Video, 16-Alarm, Max. Recording: 100 / 120fps, BS 8418 Compliant, Video Recording Server (includes one WX-30 Receiving Software License)	8,190.00
RX328_V3	8-Video, 16-Alarm, Max. Recording: 200 / 240fps, BS 8418 Compliant, Video Recording Server (includes one WX-30 Receiving Software License)	11,190.00
RX3216_V3	16-Video, 16-Alarm, Max. Recording: 400 / 480fps, BS 8418 Compliant, Video Recording Server (includes one WX-30 Receiving Software License)	13,650.00
HD500GB	500GB SATA HDD	na upit
HD1000GB	1000GB SATA HDD	na upit
HD2000GB	2000GB SATA HDD	na upit
RX-KB03	TeleEye RX & DM Keyboard with Joystick	3,950.00
RX-ALM	TeleEye Alarm Break-Out Box for RX Video Recording Server	250.00



MODEL	DESCRIPTION	Cijena (Kn)
RX Series Mobile Video Recording Server		
 RX504	TeleEye RX504 je mobilni video server dizajniran za najzahtjevnije aplikacije mobilnog video nadzora (vozila, plovila, privremene aplikacije,...) Koristeći SMAC-M tehnologiju video kodiranja postiže brzinu snimanja od 100 /120 fps uz brz prijenos videa preko svih vrsta mobilnih mreža.	
RX504_V3	4-Video, 16-Alarm, Max. Recording: 100 / 120fps, USB, Remote Viewing, Digital Mobile Video Recording Server (includes one WX-30 Receiving Software License)	13,190.00
HD500GBS	2.5" 500GB SATA Mobile HDD	na upit
3GModem	HSDPA/HSUPA/UMTS/EDGE/GPRS Modem	1,250.00



CCTV Application Software

MODEL	DESCRIPTION	Cijena (Kn)
Video Reception Software		
	TeleEye Single-site video reception software allows connection to TeleEye video recording server or camera through TCP/IP or dial up networks.	
WX-30	Single-site Video Reception Software for RX, CX & NX Series	690.00
Mobile Video Monitoring		
	TeleEye M-monitoring Solution helps you to quickly and easily access live video of your business with a mobile phone while you cannot physically be there.	
iView	Mobile Video Monitoring Software for iPhone (Please visit App Store for pricing)	
iView HD	Mobile Video Monitoring Software for iPad (Please visit App Store for pricing)	
M-303	Mobile Video Monitoring Software for Various J2ME smartphones (5 Licenses)	150.00
sureSIGHT – Integrated Video Management Platform		
	TeleEye sureSIGHT is an integrated video management platform for IP cameras and Video Recording Servers. Its modular design allows customers to scale up easily and add functional modules to suit specific requirements.	
sureSIGHT Lite	16-site Integrated Video Management Platform for RX360, RX320, CX, GX, MX & NX Series	2,500.00
sureSIGHT Business	Standalone Integrated Video Management Software	4,990.00
sureSIGHT Pro	Unlimited-site Integrated Video Management Software	5,990.00
SMAP	Sitemap Management Module	3,500.00
SMTX	Digital Video Matrix Module for sureSIGHT Pro	5,900.00
sureGUARD Video Response Centre Solution		
	TeleEye sureGUARD Video Response Centre Solution offers Central Monitoring Station managers new levels of security management control and visual alarm verification. It complies with the BS 8418:2003 standard of remote video surveillance, and is suitable for use in Remote Video Response Centres (RVRCs).	
CMD-030*	CMS 30-site License	4,500.00
CMD-100*	CMS 100-site License	9,500.00
CMD-200*	CMS 200-site License	14,500.00
CMS3-SM	CMS siteMAP Module	3,500.00
CMS3-SC	End to end Site Check Module	2,500.00
CMS3-VV	Add-on sureGUARD Video Viewer License	2,500.00
CMS3-VS	Add-on sureGUARD Video Management Server License	6,000.00
CMS3-100S	Add-on License for 100 Sites	7,500.00
CMS3-500S	Add-on License for 500 Sites	22,000.00
CMS3-SMTX	Digital Video Matrix Module for sureGUARD	5,900.00
sureREC – Video Recording Solution		
	TeleEye sureREC is a complete video recording and management solution designed for TeleEye NX & MX Series.	
sureREC-16V3	16-channel HD Recording & Viewing Software	3,900.00
sureREC-32V3	32-channel HD Recording & Viewing Software	6,900.00

Analog Cameras



MODEL	DESCRIPTION	Cijena (Kn)	
		1 do 4	5 ili više
DM880 Series Professional Hi-Resolution Colour Speed Domes			
 <p>TeleEye DM880 is a full range of professional indoor and outdoor speed dome cameras offering powerful zoom up to 432X with ultra high resolution of up to 550 TVL and a minimum illumination of 0.01 Lux. It can allow up to 24 privacy zone maskings and support up to 220 preset positions, 4 patrols, 4 patterns, 4 Auto-scans and 8 function schedules. TeleEye DM880 Series support Pelco D, VCL and Vicon telemetry protocols.</p>		 RX-KB03	
DM889	Outdoor Wall Mount, Day / Night, 480 / 550 TVL, 0.01 Lux, Zoom: Optical 36X; Digital 12X, 220 Presets, OSD, 7 Alarm Inputs & 2 Alarm Outputs, IP66, 24V AC	16,950.00	15,850.00



DM560 Series Budget Day/Night Speed Domes			
 <p>TeleEye DM560 Series is a budget day/night speed dome providing up to 550 TVL, 396X Zoom and a minimum illumination up to 0.03 Lux. It allows 50 presets, 1 Patrol and 1 Auto scan. A vandal resistant cover is optional.</p>		 RX-KB03	
DM564	Indoor Wall Mount, Day / Night, 550 / 680 TVL, 0.03 Lux, Zoom: Optical 33X; Digital 12X, 50 Presets, 24V AC	7,850.00	7,490.00
DM565	Outdoor Wall Mount, Day / Night, 550 / 680 TVL, 0.03 Lux, Zoom: Optical 33X; Digital 12X, 50 Presets, IP66, 24V AC	8,250.00	7,950.00




MODEL	DESCRIPTION	Cijena (Kn)	
		1 do 4	5 ili više
DM590 Series Professional Day/Night Speed Domes			
 <p>TeleEye DM590 Series is a range of professional indoor and outdoor speed dome cameras offering powerful zoom up to 432X with ultra high resolution of up to 550 TVL. It can allow up to 8 privacy zone maskings and support up to 128 preset positions, 6 patrols and 3 patterns.</p>		 RX-KB03	
DM597	Indoor Wall Mount, Day / Night, 480 / 550 TVL, 0.01 Lux, Zoom: Optical 36X; Digital 12X, 128 Presets, OSD, 24V AC	10,490.00	9,950.00
DM599	Outdoor Wall Mount, Day / Night, 480 / 550 TVL, 0.01 Lux, Zoom: Optical 36X; Digital 12X, 128 Presets, OSD, IP66, 24V AC	10,990.00	10,290.00



MODEL	DESCRIPTION	Cijena (Kn)
Speed Dome Accessories		
DM56-VRC	Vandal Resistant Cover for DM560 and DM590 Series	690.00
DM56-CL	Recessed Ceiling-Mount Fixture for DM597 and DM564	690.00
DM56-PD	Pendant Mount Bracket for DM560 and DM590 Series	690.00
DM88-VRC	Vandal Resistant Cover for DM880 Series	1,290.00
DM88-PD	Pendant Mount Bracket for DM880 Series	690.00
DM88-PL	Pole Mount Bracket for DM880, DM560 and DM590 Series	690.00
DM88-CN	Corner Mount Bracket for DM880, DM720, DM560 and DM590 Series	690.00
RX-KB03	TeleEye RX & DM Keyboard with Joystick	3,950.00





5 pcs or above in any combination of NX599, DM560, DM590 and DM880 Series Speed Dome Cameras

MODEL	DESCRIPTION	Cijena (Kn)
DM720 Series Integrated Positioning Camera		
 DM720 Series	TeleEye DM720 Series carries a line of high performance integrated positioning cameras specially designed for demanding outdoor applications of video surveillance. TeleEye DM720 integrates a powerful pan/tilt head with a day-and night maximum 432X zoom camera in IP66 standard outdoor housing and a telemetry receiver.	 RX-KB03
DM729	Outdoor Integrated Positioning Camera, Day / Night, 480 / 550 TVL, 0.01 Lux, Zoom: Optical 36X; Digital 12X, 220 Presets, IP66, 24V AC	28,500.00
DM729-IR	Outdoor Integrated Positioning Camera, Day / Night, 480 / 550 TVL, 0.01 Lux, IR Illumination range: 180 - 220m, Zoom: Optical 36X; Digital 12X, 220 Presets, IP66, 24V AC	33,050.00
Integrated Positioning Camera Accessories		
DM72-WL	Wall Mount Bracket for DM720 series	790.00
RX-KB03	TeleEye RX & DM Keyboard with Joystick	3,950.00





MODEL	DESCRIPTION	Cijena (Kn)	
		1-4 pcs	5 pcs or above
DM460 Series Mini Day / Night Speed Domes			
 DM460 Series	TeleEye DM460 Series is a mini day/night speed dome providing up to 570 TVL, 100X Zoom and a minimum illumination up to 0.02 Lux. It allows 128 presets.	 RX-KB03	
DM462	Indoor Wall Mount, Day / Night, 500 / 570 TVL, 0.02 Lux, Zoom: Optical 10X; Digital 10X, 128 Presets, 24V AC	4,500.00	4,350.00
DM463	Outdoor Wall Mount, Day / Night, 500 / 570 TVL, 0.02 Lux, Zoom: Optical 10X; Digital 10X, 128 Presets, IP66, 24V AC	4,700.00	4,560.00
DM46-CL	Recessed Ceiling-Mount Fixture for DM460 Series	490.00	
DM46-PD	Pendant Mount Bracket for DM460 Series	490.00	
DM46-CN	Corner Mount Bracket for DM460 Series	490.00	
DM46-PL	Pole Mount Bracket for DM460 Series	490.00	
RX-KB03	TeleEye RX & DM Keyboard with Joystick	3,950.00	





MODEL	DESCRIPTION	Cijena (Kn)	
		1-4 pcs	5 pcs or above
DM330 Series Mini Color Pan/Tilt Domes			
 DM338	 DM336	 DM-KB04	
DM336	1/3" Sony CCD, Indoor, Pan / Tilt, 470 TVL, f=4-9mm, Vari-focal Auto-iris Lens, 1.0 Lux, 12V DC	3,350.00	3,250.00
DM338	1/3" Sony CCD, Vandal Resistant, Weather Proof: IP66, Pan / Tilt, Day / Night, 480 / 520 TVL, f=4-9mm, Vari-focal Auto-iris Lens, 0.01 Lux, 12V DC	4,250.00	3,990.00
DM-33WL	Wall Mount Bracket for DM338	450.00	
DM-KB04	Keyboard for DM336 & DM338	850.00	




MODEL	DESCRIPTION	Cijena (Kn)	
		1-19 pcs	20 pcs or above
Colour Fixed Domes			
 DF103			DF163, DF166 & DF167
DF103	1/3" Color CCD, f=3.6mm, 420 TVL, 0.3 Lux, 12V DC (AC adaptor not included)	390.00	370.00
DF163	1/3" Sony CCD, 420 TVL, f = 3.6mm, 0.5 Lux, Vandal Resistant, IP66, 12V DC 12V DC (AC adaptor not included)	690.00	630.00
DF166	1/3" Sony 960H CCD, 680 TVL, WDR, Vari-focal f=2.8-10.5mm, 0.08 Lux, Vandal Resistant, IP66, 8 Privacy Masks, OSD Menu, 12V DC (AC adaptor not included)	1,750.00	1,590.00
DF167	1/3" Sony CCD, 540 TVL, f = 3.6mm, 0.1 Lux, Vandal Resistant, IP66, 12V DC (AC adaptor not included)	990.00	890.00

Model	Description	Cijena (Kn)	
		1 – 19 pcs	20 pcs or above
IR Cameras			
 SF282 & SF284	 SF285	 DF263, DF267 & DF266	 DF296
SF282	1/3" Sony CCD, 420 TVL, f=3.6mm, 0.0 Lux (IR On), 24 IR LEDs, ~15m IR range, IP66, 12V DC (AC adaptor not included)	690.00	580.00
SF284	1/3" Sony CCD, 540 TVL, f=3.6mm, 0.0 Lux (IR On), 24 IR LEDs, ~15m IR range, IP66, 12V DC (AC adaptor not included)	850.00	750.00
SF285	1/3" Sony CCD, 540 TVL, f=3.6mm, 0.0 Lux (IR On), 36 IR LEDs, ~20m IR range, IP66, 12V DC (AC adaptor not included)	990.00	880.00
DF263	1/3" Sony CCD, 420 TVL, f=3.6mm, Day/Night 0.5/0.0 Lux, 24 IR LEDs, ~15m IR range, Vandal Resistant, IP66, 12V DC (AC adaptor not included)	850.00	750.00
DF266	1/3" Sony 960H CCD, 680 TVL, WDR, Vari-focal f=2.8-10mm, Auto-iris, Day/Night 0.0 Lux (IR On), Auto IR-cut Filter, 30 IR LEDs, ~15m IR range, 8 Privacy masks, Vandal Resistant, IP66, OSD menu, 12V DC (AC adaptor not included)	2,350.00	1,990.00
DF267	1/3" CCD Vandal Resistant IR Colour Dome Camera, IP66, f=3.6mm, 540TV Lines, 0.0 Lux(IR On), 12V DC (AC adaptor not included)	1,190.00	990.00
DF296	1/3" Sony 960H CCD, 680 TVL, WDR, Vari-focal f=2.8-10mm, Auto-iris, Day/Night 0.0 Lux (IR On), Auto IR-cut Filter, 30 IR LEDs, ~15m IR range, 512x Sense Up, Vandal Resistant, IP66, 16 Privacy Masks, OSD Menu, 12V DC (AC adaptor not included)	2,990.00	2,850.00












Optional Accessories for DF296		
DF28-CL	TeleEye Ceiling Mount Fixture for DF288 & DF296	450.00
DF28-WL	Wall mount bracket for DF288 & DF296	450.00





MODEL	DESCRIPTION	Cijena (Kn)	
		1 – 19 pcs	20 pcs or above
IR Cameras			
			
SF396	SF399	SF486S, SF486T, SF487S, SF487T & SF473S	
			
SF489			
SF396	1/3" Sony 960H CCD, 680 TVL, WDR, Vari-focal f=2.8-10.5mm, Auto-iris, Day/Night 0.0 Lux (IR On), Auto IR-cut Filter, 15 IR LEDs, ~25m IR range, IP67, 8 Privacy Masks, OSD Menu, 12V DC (AC adaptor not included)	2,350.00	1,990.00
SF486T	1/3" Sony CCD, 540TVL, Vari-focal f=9-22mm, Auto-iris, Day /Night, 0.0 Lux (IR On), Auto IR-cut Filter, 48 IR LEDs, ~30m IR range, IP66, 4 Privacy Masks, OSD Menu, 12V DC (AC adaptor not included)	2,350.00	1,990.00
SF487S	1/3" Sony CCD, 600TVL, WDR, Vari-focal f=4-9mm, Auto-iris, Day /Night, 0.0 Lux (IR On), Auto IR-cut Filter, 48 IR LEDs, ~30m IR range, IP66, 8 Privacy Masks, OSD Menu, 12V DC (AC adaptor not included)	2,190.00	1,950.00
SF473S	1/3" Pixim DPS Sensor, 540 TVL, WDR, Vari-focal f=4-9mm, Auto-iris, Day /Night, 0.0 Lux (IR On), 32x Sense up, Auto IR-cut Filter, 48 IR LEDs, ~25m IR range, IP66, OSD Menu, 12V DC (AC adaptor not included)	2,990.00	2,750.00
SF489	1/3" Sony CCD, 480 TVL, Vari-focal f=9-22mm, Auto-iris, 0.0 Lux (IR On), Auto IR-cut Filter, 40 IR LEDs, ~40m IR range, IP66, 12V DC (AC adaptor not included)	3,850.00	3,650.00

MODEL	DESCRIPTION	Cijena (Kn)	
		1-19 pcs	20 pcs or above
Colour CCD Cameras			
			
SF310	SF370	SF332	SF370& SF376
SF310	1/3" Sony CCD, 420 TVL, Auto-iris, 0.5 Lux/F1.2, C/CS-Mount, 12V DC (AC adaptor not included)	550.00	490.00
SF296	1/3" Sony 960H CCD, 680TVL, Auto IR-cut Filter, 512x Sense up, 16 Privacy Masks, OSD Menu, C/CS-Mount, 12V DC / 24V AC (AC adaptor not included)	2,940.00	2,650.00
SF332	1/3" Sony CCD, 480 TVL, Auto-iris, 0.3 Lux/F1.2, C/CS-Mount, 12V DC (AC adaptor not included)	780.00	690.00
SF370	1/3" Sony CCD, 540 TVL, Auto-iris, Day/Night 0.05/0.01 Lux, Auto IR-cut Filter, C/CS-Mount, 12V DC / 24V AC (AC adaptor not included)	1,390.00	1,250.00
SF376	1/3" Sony 960H CCD, 680 TVL, WDR, Auto-iris, Day/Night 0.03/0.01 Lux, Auto IR-cut Filter, 8 Privacy Masks, OSD Menu, C/CS-Mount, 12V DC / 24V AC (AC adaptor not included)	1,590.00	1,390.00

MODEL	DESCRIPTION	Cijena (Kn)	
		1-39 pcs	40 pcs or above
Lens			
			
TE358A	TE2810A	TE550A	
TE358A	1/3" Vari-focal f=3.5-8mm, F1.4 DC Drive, Auto-Iris	350.00	340.00
TE2810A	1/3" Vari-focal f=2.8-10mm, F1.4 DC Drive, Auto-Iris	460.00	440.00
TE550A	1/3" Vari-focal f=5-50mm, F1.7 DC Drive, Auto-Iris	590.00	570.00

Accessories

MODEL	DESCRIPTION	Cijena (Kn)	
Amplified Microphone			
 MA-1101	Amplified Microphone, Line level output, 12V DC	190.00	
		1 – 19 pcs	20 pcs or above
Camera Housing & Brackets			
 R-TS-602	Wall-mount Camera Bracket	40.00	35.00
 R-TS-605	Wall-mount Bracket for R-TS-806XX	80.00	70.00
 R-TS-806HB	Outdoor Aluminum Housing with Sunshield, IP66, Heater & Blower, 24V AC	490.00	470.00
Surge Protectors			
 PSP-UU	1 Channel Power Line Surge Protector	190.00	175.00
 CSP-CC	1 Channel Coaxial Surge Protector	190.00	175.00
 RSP-UU	1 Channel RS485 Surge Protector	190.00	175.00
Coaxial-to-UTP Transceivers			
 PVT-11CU	1 Channel Coaxial to UTP Passive Video Transceiver	120.00	110.00
 PVT-11CUD	1 Channel Coaxial to UTP Passive Video Transceiver	140.00	130.00
 PVT-44CU	4 Channels Coaxial to UTP Passive Video Transceiver	490.00	470.00
 AVT-11CU	1 Channel Coaxial-to-UTP Active Video Transmitter and Receiver	850.00	790.00

MODEL	DESCRIPTION	Cijena (Kn)
Adaptors		
 ADAP-12V-300-EU	Input: 220V AC, Output: 12V DC, 300mA Suitable for DF103, DF103W, DF105, DF106, DF108, DF109, DF163, DF166, DF167, DF175, DF178, SF031, SF037, SF039M, SF310, SF332, DM-KB04 and MA-1101	80.00
 ADAP-12V-125-EU	Input: 220V AC, Output: 12V DC, 1.25A Suitable for SF282, SF282S, SF284, SF285, SF285S, SF296, SF360, SF365, SF370, SF373F, SF376, SF396, SF399, SF486S, SF486T, SF487S, SF487T, SF473S, SF489, DF183, DF187, DF263, DF266, DF267, DF291, DF292, DF294, DF295, DF296, DM336, DM338, NX301, MX710-HD, MX721-HD, MX725-HD, MX751-HD, MX763-HD, MX810-HD, MX820-HD, MX833-HD & MX873-HD	135.00
 ADAP-12V6.6A-4P-CE	Input: 120/240V AC, Output: 12V DC, 6.6A Suitable for CX7816, RX364, RX368, RX3616, RX324, RX328 & RX3216 & RA216	490.00
 ADAP-16V5.6A-5P-CE	Input: 120/240V AC, Output: 16V DC, 5.6A Suitable for GX624, GX629 & GX6216	550.00

1. Cijene su u Kunama
2. PDV nije uračunat u cijenu
3. Transport paketnom dostavom , 24 sata ili po dogovoru